

APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office SEP 11 1990  
Returned to applicant for correction JAN 25 1991  
Corrected application filed FEB 28 1991  
Map filed FEB 28 1991

The applicant Las Vegas Hilton Corp. as agent for Hilton Hotels Corp.  
dba Las Vegas Hilton, of Las Vegas,  
Street and No. or P.O. Box No. City or Town  
Nevada 89109, hereby make application for permission to appropriate the public  
State and Zip Code No.  
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a  
copartnership or association, give names of members.) Incorporated September 1, 1987 in Nevada

1. The source of the proposed appropriation is Shallow underground aquafer.  
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.15 second-feet  
One second-foot equals 448.83 gals. per min.  
(a) If stored in reservoir give number of acre-feet \_\_\_\_\_
3. The water to be used for removal of shallow underground water to protect structure  
footing per NRS 534.025 Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated \_\_\_\_\_
  - (b) Stockwater, state number and kinds of animals to be watered \_\_\_\_\_
  - (c) Other use (describe fully under "No. 12. Remarks") per NRS 534.025
  - (d) Power:
    - (1) Horsepower developed \_\_\_\_\_
    - (2) Point of return of water to stream \_\_\_\_\_
5. The water is to be diverted from its source at the following point the Northeast Quarter of the South-  
west Quarter of Section 10, Township 21 South, Describe as being within a 40-acre subdivision of public  
Range 61 East, M.D.M., Clark County, Nevada. The point of diversion is located  
N33°55'39" West from the South  
Quarter corner of said Section 10, a distance of 1843.68 feet. survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
6. Place of use The waters will be discharged into a storm drain system of the Clark  
Describe by legal subdivision. If on unsurveyed land, it should be so stated.  
Clark County Public Works Department within a portion of the SW $\frac{1}{4}$  of the NW $\frac{1}{4}$ , the  
SE $\frac{1}{4}$  of the NW $\frac{1}{4}$ , the NW $\frac{1}{4}$  of the SW $\frac{1}{4}$ , the NE $\frac{1}{4}$  of the SW $\frac{1}{4}$  and the SE $\frac{1}{4}$  of the SW $\frac{1}{4}$  -  
Section 10, T21S, R61E, M.D.M., Clark County, Nevada.
7. Use will begin about January 1 and end about December 31, of each year.  
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) the proposed works include collect piping  
State manner in which water is to be diverted, i.e. diversion structure, ditches and  
along the footing with a 1.5 horsepower sump pump.  
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \_\_\_\_\_

10. Estimated time required to construct works.....the collection and pump works are in place.  
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water is being removed from a shallow aquafer to protect the structural footing of an existing highrise parking structure per NRS 534.025. The ground water was tested and found to be unsuitable for planter irrigation, therefore, it will be discharged into the Clark County Drain System.

By s/G. C. Wallace  
1555 South Rainbow Boulevard  
Las Vegas, Nevada 89102

Compared bc/ bc

Protested.....

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I.....

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this.....day of.....,

Certificate No..... Issued..... A.D. 19.....

State Engineer

WITHDRAWN BY *agent* JUN 14 1996  
STATE ENGINEER